Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	1999-315788.NRAN.	DERWENT	ADJ	ON	2006/10/30 10:18
S1	670	455/90.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 12:39
S2	516	wireless adj network adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:01
S3	1	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:47
S4	8406	network adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:48
S5	2	S1 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:52
S6	59	S2 and (signal adj strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:54
S7	10	S2 and (signal adj strength adj indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:54
S8	465	LED and (signal adj strength adj indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:56
S9	2	S2 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 11:55

S10	0	(wireless adj adapter) near (led	US-PGPUB;	OR	ON	2006/04/19 11:56
310	J	near (signal adj strength))	USPAT; EPO; JPO; DERWENT; IBM_TDB		3.,	2300,01,13121.30
S11	349	LCD and (signal adj strength adj indicator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON (2006/04/19 11:58
S12	1	S11 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 12:01
S13	13	"6150936"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:40
S14	15	"6496700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:25
S15	1	6563427b2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:26
S16	31	"5809414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:45
S17	15	"5745479"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:28
S18	1	6226838b1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:35
S19	5	"5946631"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:38

						2006/04/12 12 75
S20	1	6363260b1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:39
S21	1	6226271b1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 13:39
S22	31	(wireless adj network adj card).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:27
S23	269	(network adj card).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:09
S24	0	(network adj card) near (signal near detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:10
S25	2	(network adj card) near (signal near indicat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:11
S26	1	(network adj apparatus) near (signal near indicat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:12
S27	7	(network adj apparatus) with (detect near signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:14
S28	11636	((signal adj strength) with (indicator or detect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:26
S29	6	((signal adj strength) with (indicator or detect\$)) same (network adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:20

S30	1	((signal adj strength) with (indicator or detect\$)) same (network adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:21
S31	0	((signal adj strength) with (indicator or detect\$)) same ((wireles adj network) adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:21
S32	0	((signal adj strength) with detect\$) same ((wireles adj network) adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:22
S33	3	(signal with detect\$) same ((wireless adj network) adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:22
S34	0	((signal adj strength) with detect\$) same ((wireless adj network) adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:23
S35	5	((signal adj strength) with detect\$) and ((wireless adj network) adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:23
S36	3284	((signal adj strength) with detect\$) and (display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:24
S37	502	((signal adj strength) with detect\$) same (display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:39
S38	15103	(signal adj strength) with (indicat\$ or detect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:40
S39	1619	((signal adj strength) with (indicat\$ or detect\$)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:41

		·				
S40	22	((network adj signal adj strength) with (indicat\$ or detect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:45
S41	3	network adj signal adj strength adj indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 14:47
S42	1370	((signal adj strength) adj (detect\$ or indicat\$)) same (mobile or cellular)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:47
S43	902	S42 and "455".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:47
S44	62	S43 and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 13:47
S45	1	(wireless adj adapter) same USB same detect\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:28
S46	8	(wireless adj USB adj adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:29
S47	0	(wireless adj USB adj adapter).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:30
S48	2	(USB adj network adj adapter).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:32
S49	2297	(USB).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:36

CEO	51	(LICE adi2 potuarly adi2 adaptor)	US-PGPUB;	OR	ON	2006/04/20 15:33
S50	21	(USB adj3 network adj3 adapter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	OIN	2000/07/20 15.33
S51	10	S49 and (network adj adapter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:36
S52	26	((wireless or RF) near3 card) same ((display\$3 or show\$3 or indicat\$3) near4 ((signal near2 strength) or RSSI))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:14
S53	17	(((wireless or RF) near2 card) same ((display\$3 or show\$3 or indicat\$3) near3 ((signal near2 strength) or RSSI))).detd.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:24
S54	3	((wireless or RF) near2 card) same ((display\$3 or show\$3 or indicat\$3) near3 ((signal near2 strength) or RSSI)) same ((sound or noise) near2 (generat\$3 or indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:26
S55	95	((display\$3 or show\$3 or indicat\$3) near3 ((signal near2 strength) or RSSI)) same ((sound or noise) near (generat\$3 or indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:38
S56	26	((display\$3 or show\$3 or indicat\$3) near3 ((signal near2 strength) or RSSI)) same (sound near (generat\$3 or indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:44
S57	98	((signal near2 strength) or RSSI) same (sound near (generat\$3 or indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:47
S58	3	((signal near2 strength) or RSSI) and (computer adj2 product adj2 program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:11

S59	2	((signal near2 strength) or RSSI) and ((computer adj2 product adj2 program).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:13
S61	1	((wireless or RF) near3 card) same ((display\$3 or show\$3 or indicat\$3) near4 ((signal near2 strength) or RSSI)) and ((computer adj program).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:15
S62	256	((display\$3 or show\$3 or indicat\$3) near4 ((signal near2 strength) or RSSI)) and ((computer adj program).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:58
S63	24	((display\$3 or show\$3 or indicat\$3) near4 ((signal near2 strength) or RSSI)) same ((computer adj program).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 08:58
S64	781	USB with (LCD or (liquid adj crystal adj display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:40
S65	0	(USB with ((signal adj2 strength) near2 (indicat\$3 or detect\$3 or show\$3))) with (LCD or (liquid adj crystal adj display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:42
S66	26	((signal adj2 strength) near2 (indicat\$3 or detect\$3 or show\$3)) near3 (LCD or (liquid adj crystal adj display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 09:46
S67	2	pct/jp01/05303	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:20
S69	2	pct/jp01/05303.ptan.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:23
S70	1	wo01/99392.ptpn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 10:30

				- 1		
S72	2	"5239684".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:31
S73	2	"6236382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:31
S74	2	"5950139".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:32
S75	2	"6211858".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:32
S76	2	"6148180".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:35
S77	2	"5598418".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:36
S78	2	"5703607".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:37
S79	2	"5890057".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 08:37
S84	1431	(data adj transmission adj apparatus).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:15
S85	1431	("DATA TRANSMISSION APPARATUS").ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:16

						· · · · · · · · · · · · · · · · · · ·
S86	1	((cell or mobile or portable) adj2 phone) same (((signal adj2 strength) or RSSI) near3 (indicat\$3 or detect\$3)) same (sound or beep or chirp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 13:15
S87	1	((cell or mobile or portable) adj2 phone) with (((signal adj2 strength) or RSSI) near3 (indicat\$3 or detect\$3)) same (sound or beep or chirp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 13:16
S88	188	(((signal adj2 strength) or RSSI) near3 (indicat\$3 or detect\$3)) same (sound or beep or chirp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 13:29
S89	131	(((signal adj2 strength) or RSSI) near3 (indicat\$3 or detect\$3)) same ((sound or beep or chirp or audible) near3 (generat\$3 or indicat\$3 or alarm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 13:30
S90	2	"5408693".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 11:22
S91	13	(((signal strength) or (rss)) near3 (indicator or indicate or measure or indication or alert or notify or notification or sensing or sense or announce)) same (wireless network (card or device or apparatus or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 16:53
S92	6	(((signal strength) or (rss)) near3 (indicator or indicate or measure or indication or alert or notify or notification or sensing or sense or announce)) same (wireless network (card or apparatus or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 16:53
S93	6	(((signal strength) or (rss)) near3 (indicator or indicate or measure or indication or alert or notify or notification or sensing or sense or announce)) same (wireless network card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 16:54

Page 9 10/30/2006 10:21:30 AM C:\Documents and Settings\aguzman\My Documents\EAST\Workspaces\10682392.wsp

S94	6	((signal strength) near2 (indicator or indicate or measure or indication or alert or notify or notification or sensing or sense or announce)) same (wireless network card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 16:55
S95	10	(wireless network card) with (signal strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 17:14
S96	30	("4718081" "4996715" "5070536" "5097507" "5134708" "5175867" "5214687" "5325397" "5327575" "5327576" "53555514" "5373548" "5375123" "5379446" "5379447" "5384791" "5390339" "5483690" "5732347").PN. OR ("5991901"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/17 17:07
S97	1	("2005/0079831").URPN.	USPAT	ADJ	ON	2006/10/17 17:08
S98		("20020010008" "20020028662" "20020137552" "20030045265" "20030064762" "20040132426" "20040179694" "20040203500" "20050018834" "20050079831" "4885572" "5404391" "5924046" "6032058" "6052563" "6269256" "6278884" "6349225" "6424251" "6823199" "6934547" "6983169").PN. OR ("7027840").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/10/17 17:09
S99	0	("2005/0113031").URPN.	USPAT	ADJ	ON	2006/10/17 17:12
S10 0	0	("2005/0159125").URPN.	USPAT	ADJ	ON	2006/10/17 17:13
S10 1	0	("2004/0203549").URPN.	USPAT	ADJ	ON	2006/10/17 17:13
S10 2	1	2002-010403.NRAN.	DERWENT	ADJ	ON	2006/10/17 17:14
S10 3	10	(wireless (network or communication) card) with (signal strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 17:15

S10 4	21	((wireless or network or communication) card) with (signal strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/17 17:15
S10 5	33	((signal adj strength) with (indicator or detect\$)) with card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:26
S10 6	18	((wireless or radio or RF) near3 card) with ((display\$3 or show\$3 or indicat\$3) near5 ((signal adj2 strength) or RSSI))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 12:44
S10 7	18	((wireless or radio or RF) near2 (card or adapter)) with ((display\$3 or show\$3 or indicat\$3) near3 ((signal adj2 strength) or RSSI))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 12:46
S10 8	514	455/90.3.ccls. and ((wireless or radio or RF or portable or mobile) near2 (card or adapter or apparatus or device or housing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 13:00
S10 9	410	S108 and (@rlad<"20031009" or @ad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/27 12:48
S11 0	6	S108 and (computer program product)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/10/27 12:57
S11 1	36	455/90.3.ccls. and ((wireless or radio or RF or portable or mobile) near2 (card or adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 15:04
S11 2	1	("2005/0079831").URPN.	USPAT	ADJ	ON	2006/10/27 13:04
S11 3	2739	"455".clas. and ((wireless or radio or RF or portable or mobile) near2 (card or adapter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 15:04

Page 11 10/30/2006 10:21:30 AM C:\Documents and Settings\aguzman\My Documents\EAST\Workspaces\10682392.wsp

S11 4	761	"455".clas. and (((wireless or radio or RF or portable or mobile) near2 (card or adapter)) same (RSSI or (signal strength)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 15:05
S11 5	619	S114 and (@rlad<"20031009" or @ad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 15:06
S11 6	135	S115 and (control near2 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 15:06

10/30/2006 10:21:30 AM C:\Documents and Settings\aguzman\My Documents\EAST\Workspaces\10682392.wsp Page 12